

INDEX MAPS.

T. 10 N. R. 8 E. 2nd Mer.

	134		134		134		133		133		133	
136	6	157	5	152	4	148	3	144	2	141	1	132
	157		157		151		148		144		140	
136	7	156	8	151	9	147	10	144	11	140	12	132
	156		156		151		147		143		140	
136	18	155	17	150	16	147	15	143	14	139	13	132
	155		154		150		146		143		139	
135	19	154	20	150	21	146	22	142	23	139	24	131
	154		153		149		146		142		138	
135	30	153	29	149	28	145	27	142	26	138	25	131
	153		152		149		145		141		138	
135	31	152	32	148	33	145	34	141	35	137	36	131
	130		130		130		129		129		129	

T. 11 N. R. 8 E. 2nd Mer.

	165		164		164		164		163		163	
167	6	188	5	182	4	179	3	175	2	171	1	162
	188		187		182		178		174		171	
166	7	187	8	182	9	178	10	174	11	170	12	162
	187		186		181		178		174		170	
166	18	186	17	181	16	177	15	173	14	170	13	162
	185		185		181		177		173		169	
166	19	185	20	180	21	177	22	173	23	169	24	161
	185		184		180		176		172		169	
166	30	184	29	180	28	176	27	172	26	168	25	161
	184		183		179		176		172		168	
165	31	183	32	179	33	175	34	171	35	168	36	161
	160		160		159		159		159		159	

The figures on the lines refer to the page.

129

Township N. 10 North, Range N. 8 East 2. Mer. Ind.^a

ch. l. th.

South Boundary.

West On S. boundary of Sec. 36

19.14 a Brook 5 th. wide Course S. W.

26.15 a Do. 5 " " " N. E.

40.00 Set q. Sec. post, from which

a Beech 14 m. dia. bray N 85° W 14 th. dist. of

a Do. 20 " " " S 43° E 29 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Beech 22 m. dia. bray S 27° W 7 th. dist. of

a Do. 4 " " " N 30° E 8 " "

Over good farming land, Beech, Sugar, Ash
underg^d. Spruce &c.

West On S. boundary of Sec. 35

40.00 Set q. Sec. post, from which

a Beech 13 m. dia. bray N 37° W 9 th. dist. of

a Do. 20 " " " N 61° E 29 " "

70.47 a Branch 6 th. wide Course N.

76.45 a Do. 4 " " " N.

80.00 Set post Cor. to Sec. 34 & 35, from which

a Beech 20 m. dia. bray S 49° E 4 th. dist. of

a Do. 6 " " " N 10° E 21 " "

Over good farming land, Beech, Sugar Ash
&c. underg^d. Spruce &c.

West On S. boundary of Sec. 34

14.42 a Brook 15 th. wide Course N.

40.00 Set q. Sec. post, from which

a Beech 7 m. dia. bray N 61° W 21 th. dist. of

a Do. 7 " " " S 82° E 3 " "

80.00 Set post Cor. to Sec. 33 & 34, from which

a Beech 24 m. dia. bray S 76° E 5 th. dist. of

a Do. 8 " " " N 39° W 5 " "

Over good land, timber Beech, Ash, Hickory
&c. underg^d. Spruce &c.

Mt. R & E. 2nd Mer. Indiana

ch. lks

Met On S. boundary of Sec. 33

40.00 Set gr. Sec. post, from which
a Beech 9 m. dir. bray N 70 E 25 lks. dist. of
a Sugar 9 " " " N 67 W 17 " "

41.26 at Brook 3 lks. wide Course N.

80.00 Set post Cor. to Sec. 32 & 33, from which
a Lycamore 50 m. dir. bray N 81 E 23 lks. dist. of
a Hackberry 14 " " " S 55 W 16 " "
Over good farming land, Beech, Sugar, Ash &c.
underg^g. Spice

Met On S. boundary of Sec. 32

17.00 a Creek 70 lks. wide Course S. W.

40.00 Set gr. Sec. post, from which
a Beech — m. dir. bray N 29 W 13 lks. dist. of
a Sugar 30 " " " S 25 W 17 " "80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 20 m. dir. bray N 80 E 10 lks. dist. of
a Ho. 15 " " " S 60 W 27 " "
Over good farming land Beech, Ash &c.
underg^g. Spice

Met On S. boundary of Sec. 31

32.23 a Brook 3 lks. wide Course N.

35.83 a Creek 25 " " " S. W.

40.00 Set gr. Sec. post, from which
a Beech 18 m. dir. bray N 44 W 3 lks. dist. of
a Ho 12 " " " S 52 E 20 " "74.40 Intersected W. boundary 450 lks. S. of temp.
post - Set post Cor. to Township 9 & 10 North,
Range 7 & 8 East, from which
an Elm 24 m. dir. bray N 5 E 30 lks. dist. of
an Ash 12 " " " S 21 W 24 " "
Over good farming land, Beech, Ash &c.
underg^g. Spice &c.

Ch. P. 11th

East Boundary

North On E. boundary of Sec. 36
 22.40 a Branch 8th wide Corner E.
 24.62 a Beech 20 in. dia.
 32.65 a Branch 10th wide Corner S. E.
 40.00 Set of Sec. post, from which
 a Beech 24 in. dia. bray N 44 E 5th dist. of
 a do 30 " " " N 44 W 15 " "
 46.74 an Ash 30 " "
 75.15 a Hickory 27 " "
 80.00 Set post Cor. to Sec. 25 & 36, from which
 an Ash 18 in. dia. bray N 7 E 22th dist. of
 a Hickory 18 " " " N 32 E 28 " "
 Over level land, Beech, ash, Poplar &c.
 undugth Spruce

North On E. boundary of Sec. 25

24.30 an Elm 12 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 9 in. dia. bray N 18 E 2th dist. of
 an Maple 18 " " " N 54 E 4 " "
 63.40 an Ash 12 " "
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a Beech 9 in. dia. bray N 47 W 13th dist. of
 a do. 30 " " " N 59 E 16 " "
 Over level land, Beech, Hickory &c.
 undugth Spruce &c. Soil good.

North On E. boundary of Sec. 24

7.03 a Branch 8th wide Corner S. E.
 20.21 a Beech 10 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 20 in. dia. bray N 36 W 9th dist. of
 a Spr. Ash 12 " " " N 54 E 32 " "
 65.29 a Beech 9 " "
 73.40 a Poplar 36 " "

132 Mt. P & E. 2^d Mer. Indiana

ch. lth
80.00 Set post Cor. to Sec. 13 & 24, from which
a Beech 12 mi. dist. by N 67° W 12 lth. dist. of
a Do. 14 " " " S 72° E 27 " "
Over level land, Beech, Poplar, Ash &c.
undergth Spruce, Soil good.

North On E. boundary of Sec. 13

13.05 a Poplar 36 mi. dist.

15.55 a Do 48 " "

26.50 a Branch 12 lth. wide Corner W

40.00 Set of Sec. post, from which
at Blue Ash 6 mi. dist. by N 77° W 9 lth. dist. of
a Beech 27 " " " S 23° E 15 " "

63.40 a Beech 20 " "

80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 24 mi. dist. by N 62° E 29 lth. dist. of
a Do. 22 " " " S 42° W 19 " "
Over level land, Poplar, Beech, Walnut &c.
undergth Spruce, Soil good

North On E. boundary of Sec. 12

2.12 a Beech 30 mi. dist.

16.05 a Poplar 60 " "

40.00 Set of Sec. post, from which
a Beech 6 mi. dist. by N 74° E 2 lth. dist. of
a Do. 6 " " " N 58° W 14 " "

57.03 a Do 15 " "

80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 15 mi. dist. by N 34° W 22 lth. dist. of
a Do. 18 " " " S 1° E 11 " "
Over level land, timber Beech, Poplar,
Hackberry &c. undergth Spruce, prairie Soil good

North On E. boundary of Sec. 1

7.38 a Beech 18 mi. dist.

9.70 a Branch 20 lth. wide Corner W.

133

West R8E. 2^d Mer. Indiana

ch. lth
 40.00 Let gr. Sec. post, from which
 a Beech 20 mi. dist. bray N15W 32 lth. dist. of
 a do. 20 " " " N84E 4 " "
 52.75 a Beech 20 " " " " " "
 80.00 Let temp. Cor. to S. 10, N. 12, 8 & 9 E.
 June 14th 1819

North Boundary var. 7° 30' E.
 West On S. boundary of Sec. 36, T11N. R8E.
 40.00 Let gr. Sec. post, from which
 a Beech 24 mi. dist. bray N31E 4 lth. dist. of
 a do. 8 " " " N12E 6 " "
 50.00 a Branch 8 lth. wide Course N.E.
 80.00 Let post Cor. to Sec. 35 & 36, T11N. R8E, from which
 a Beech 20 mi. dist. bray N20W 23 lth. dist. of
 a do. 20 " " " N89W 27 " "
 Level land rich soil, timber Beech, Poplar
 Sugar &c. underg^d. Spruce &c.

West On S. boundary of Sec. 35, T11N. R8E.
 40.00 Let gr. Sec. post, from which
 an Oak 18 mi. dist. N31 — 13 lth. dist. of
 an Ash 24 " " South 11 " "
 80.00 Let post Cor. to Sec. 34 & 35, T11N. R8E, from which
 a Beech 10 mi. dist. bray N18E 4 lth. dist. of
 a do. — " " " N1E 22 " "
 Land &c. as above 2^d. rate

West On S. boundary of Sec. 34, T11N. R8E.
 22.50 a Branch 12 lth. wide Course N.E.
 23.00 an Ash 20 mi. dist.
 40.00 Let gr. Sec. post, from which
 a Beech 24 mi. dist. bray N25E 8 lth. dist. of
 a Sugar 8 " " " N14W 24 " "
 52.50 a Creek 100 lth. wide Course S.
 80.00 Let post Cor. to Sec. 33 & 34, T11N. R8E, from which

T11 N. R8 E. 2^d. Mer. Indianach. 1st 1/4

a Beech 24 in. dia. - bay N 17 E 8 1/2 hr. dist. of
 a do. 15 " " " N 25 E 24 " "
 Land &c. Same as on the last mile

Met On S. boundary of Sec. 33, T11 N. R8 E

40.00 Let of Sec. post, from which

a Beech 24 in. dia. - bay N 42 E 1 hr. dist. of

a do. 18 " " " N 50 E " "

76.00 a Beech 20 " "

80.00 Let post cor. to Sec. 32 of 33, T11 N. R8 E, from which

a Beech 10 in. dia. - bay N 12 E 1 hr. dist

a do. 12 " " " N 60 E " "

Land timber &c. Same as last mile

Met On S. boundary of Sec 32, T11 N. R8 E

14.50 a Branch 10 hr. wide Course N.

40.00 Let of Sec. post, from which

a Beech 24 in. dia. - bay N 11 E 15 hr. dist. of

a Hickory 10 " " " N 61 W 24 " "

76.00 a Creek 60 hr. wide Course S.

80.00 Let post cor. to Sec. 31 of 32, T11 N. R8 E, from which

a Beech 24 in. dia. - bay N 13 E. 5 hr. dist. of

a do. 10 " " " N 10 W 27 " "

Land &c. Same as on the last mile

Met On S. boundary of Sec. 31, T11 N. R8 E.

36.59 a Beech 18 in. dia.

40.00 Let of Sec. post, from which

a Beech 18 in. dia. - bay N 7 E 25 hr. dist. of

a do. 4 " " " N 38 W 15 " "

46.71 a Poplar 36 in. dia.

56.50 a Branch 20 hr. wide Course S.

63.50 a do. 4 " " " S. E.

66.62 intersected W. boundary 112 hr. N. of temp.
 post - Let post cor. to Township 10 of T11 N.
 Range 7 of 8 E. from which

135

T10 N. R8 E. 2^d Mer. Indiana
 ch. lth
 a Beech 30 in. dia. - bray N 23° W 24 lth. dist. of
 a do. 15 " " " " S 49° W 15 " "
 Over land level 2^d rate, timber Beech, Poplar
 Ash, Sugar, undugth Spruce, Beech &c.
 June 21st, 1879

West Boundary var 6° 30' E.

North On E. boundary of Sec. 36, T10 N. R7 E
 2.50 a Beech 18 in. dia.
 40.00 Set of Sec. post, from which
 a _____ 10 in. dia. bray S 50° E 5 lth. dist. of
 a Sugar 10 " " " " N 29° E 14 " "
 40.39 an Elm 24 " "
 80.00 Set post cor. to Sec. 25 & 36, T10 N. R7 E, from which
 a Beech 30 in. dia. - bray N 10° W 1 lth. dist. of
 a do. 19 " " " " S 47° E 9 " "
 Over good farming land, Beech, Ash &c.
 undugth Spruce &c

North On E. boundary of Sec. 25, T10 N. R7 E.
 2.92 a Beech 22 in. dia.
 15.50 a do. 24 " "
 25.50 a Brook 15 lth. wide Course W.
 40.00 Set of Sec. post, from which
 a Beech 15 in. dia. - bray S 6° W 12 lth. dist. of
 a do. 18 " " " " N 63° E 10 " "
 75.15 a do. 30 " "
 80.00 Set post cor. to Sec. 24 & 25, T10 N. R7 E, from which
 a Sugar 24 in. dia. - bray S 23° W 19 lth. dist. of
 a do. 18 " " " " S 43° E 15 " "
 Over good farming land, timber Beech, Sugar &c.
 undugth Spruce.

North On E. boundary of Sec. 24, T10 N. R7 E
 9.06 a Brook 10 lth. wide Course N.W.
 25.86 an Elm 30 in. dia.

T10 N. R8 E. 2^d. Mer. Indianach² 1/2 m

35.50 a Brook 125 lms. wide Course S.W.

40.00 Set of Sec. post, from which
an Ironwood 8 in. dia. - bray N64 E 11 lms. dist. of
a Do. 8 " " " N61 W 13 " "

41.50 a Creek 150 lms. wide Course S.E.

76.50 a Do 150 " " " S.W.

80.00 Set post cor. to Sec. 13 & 24, T10 N. R7 E. from which
a Beech 24 in. dia. - bray N36 E 16 lms. dist. of
a Do. 12 " " " N71 W 19 " "
Over good farming land timber as before

North On E. boundary of Sec. 13, T10 N. R7 E.

18.00 a Branch 3 lms. wide Course E.

27.50 a Sugar 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. - bray N11 E 16 lms. dist. of
a Do. 20 " " " N35 W 9 " "

68.20 a Beech 14 " "

80.00 Set post cor. to Sec. 12 & 13, T10 N. R7 E. from which
a Beech 20 in. dia. - bray N60 E 28 lms. dist. of
a Do. 22 " " " N42 E 30 " "
Over good farming land, timber Beech, Sugar
Poplar &c. underg^d Spruce

North On E. boundary of Sec. 12, T10 N. R7 E.

24.50 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. - bray N29 W 19 lms. dist. of
a Do. 8 " " " N10 E 12 " "

62.76 a Beech 12 " "

80.00 Set post Cor. to Sec. 1 & 12, T10 N. R7 E. from which
a _____ 18 in. dia. - bray N88 E 8 lms. dist. of
a Do. 13 " " " N51 W 16 " "
(description of land &c. Omitted)

North On E. boundary of Sec. 1, T10 N. R7 E.

137

10 N. R. & E. 2nd Mer. Indiana

ch. l. m.
 17.00 a Beech 20 mi. dist.
 19.00 a Creek 70 l. m. wide Course S. W.
 40.00 let q. Sec. post, from which
 a Beech 12 mi. dist. bear N 49° W 10 l. m. dist. of
 a do. 14 " " " North 30 " "
 81.12 let post Cor. to Township 10 of N. North, Range
 7 of 8 East, from which
 a Beech 30 mi. dist. bear N 23° W 24 l. m. dist. of
 a do. 15 " " " N 49° W 15 " "
 Our good farming land, timber Beech, Ash
 &c. undergrd Spruce. June 14th 1819
 Surveyed By James H. M. Donald, D.S.
 For John M. Donald, D.S. Com.

Subdivision.

We Richard Talbott and Ferdinand
 Strickland, do solemnly swear in the
 presence of Almighty God, that in all mea-
 surements, in which we shall be employed
 as Chainmen in the public Survey, we will
 faithfully and impartially execute the duties
 of the trust reposed in us to the best of
 our skill and abilities, to help us God.

Richard C. Talbott

Ferdinand Strickland

Sworn and subscribed before me this 22nd
 day of September 1819. W. B. Bently, D.S.

North Between Sec. 35 & 36

10.75 an Ash 18 mi. dist.
 40.00 let q. Sec. post, from which
 an Ash 36 mi. dist. bear N 10° W 15 l. m. dist. of
 a Beech 3 " " " N 3° W 25 " "
 66.50 a Beech 12 " "
 80.00 let post Cor. to Sec. 25, 26, 35 & 36, from which
 a Beech 10 mi. dist. bear N 5° W 10 l. m. dist. of

138 T. N. R. & E. 2nd Mer. Indiana

ch. l. l. l.

at Beech 8 m. dist. from 140 W. l. m. dist. of
Sand rolling 2nd rate, Beech, Poplar, W. Oak
undergth Spice, greenbrier, &c

East On Rand^m between Sec. 25 & 36

40.00 Set temp^y. of Sec. post

81.00 Intersected the E. boundary 80 l. m. S. of post
Land level 2nd rate, Ash, Beech, Poplar,
Sugar, undergth Spice & Pawpaw

Nest Corrected between Sec. 25 & 36

40.50 Set of Sec. post, at average dist. from which
at Beech 5 m. dist. from 128 E. 15 l. m. dist. of
a l. o. 2 " " " N 9 E 4 " "

81.00 to Sec. Corner. Sept. 22. 1819

North Between Sec. 25 & 26,

5.00 at Beech 10 m. dist.

40.00 Set of Sec. post, from which
a Beech 6 m. dist. from 148 E. 6 l. m. dist. of
a l. o. 14 " " " N 62 W 8 " "

48.50 a l. o. 4 " " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 24 m. dist. from 122 W. 3 l. m. dist. of
a N. Beech 3 " " " N 13 E 14 " "
Sand rolling 2nd rate, Ash, Beech, Poplar
&c. undergth Spice

East On Rand^m between Sec. 24 & 25

40.00 Set temp^y. of Sec. post

81.30 Intersected the E. boundary 200 l. m. S. of post
Land rolling 2nd rate, Ash, Beech, Poplar &c
undergth Spice &c

Nest Corrected between Sec. 24 & 25

40.65 Set of Sec. post at average dist. from which

139

North R & E. 2^d Mer. Indiana
ch. l. m.
a Beech 17 mi. dist. by S 61° W 15 l. m. dist. of
a Do. 18 " " " N 70° E 8 " "
81.30 to Sec. Corner.

North Between Sec. 23 & 24
6.05 a Beech 12 mi. dist.
40.00 Set gr. Sec. post, from which
a Hickory 4 mi. dist. by N 88° W 4 l. m. dist. of
a Beech 15 " " " N 39° E 21 " "
48.25 a W. Oak 12 " "
80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
a Beech 27 mi. dist. by S 27° E 5 l. m. dist. of
a Do. 30 " " " N 12° E 15 " "
Land level 2^d rate Ash, Poplar, beech &c.
undergth. Spruce

East On Rand. between Sec. 13 & 24
40.00 Set temp. gr. Sec. post
81.35 Intersected E. boundary 195 l. m. S. of post
Land level 2^d rate Ash, Beech, W. Oak, ugth. Spruce

West Connected between Sec. 13 & 24
40.67 Set gr. Sec. post at average dist. from which
a Beech 2 mi. dist. by N 25° E 7 l. m. dist. of
a Do. 10 " " " S 14° W 18 " "
81.35 to Sec Corner

North Between Sec. 13 & 14
5.75 a Beech 30 mi. dist.
9.00 a Creek 15 l. m. wide Course S. W.
40.00 Set gr. Sec. post, from which
a Beech 12 mi. dist. by N 36° W 20 l. m. dist. of
a Do. 10 " " " S 31° W 18 " "
61.50 a Creek 18 l. m. wide Course S. W.
62.50 a Beech 14 mi. dist.
80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

140

M. N. R. & E. J. Mer. Indiana

ch. l. l. l.

a Beech 10 in. dia. - bray S 21° N 6 l. m. dist. of
a do. 12 " " " N 17° N 30 " "
Land level 2nd rate, Ash, Poplar, Beech, Sugar
undergth Spruce

East On Rand^m between Sec. 12 of 13

40.00 Set temp^y. g^r. Sec. post

81.50 Intersected the East boundary 200 l. m. S. of post
Land level 1st & 3rd rate - last 1/4 1st rate, Ash,
Poplar, Sugar, Beech, undergth Spruce &c

West Corrected between Sec. 12 of 13

40.75 Set g^r. Sec. post at average dist. from which
a Beech 15 in. dia. - bray N 31° W 15 l. m. dist. of
a do 15 " " " " N 41° E 11 " "

81.50 to Sec. Corner

North Between Sec. 11 of 12

16.50 a Beech 7 in. dia.

40.00 Set g^r. Sec. post from which
a Beech 14 in. dia. - bray S 61° W 10 l. m. dist. of
a do. 6 " " " " S 37° E 20 " "

55.60 an. Ash 40 " "

80.00 Set post Cor. to Sec. 1, 2, 11 of 12, from which
a Beech 30 in. dia. - bray S 84° W 4 l. m. dist. of
a do. 6 " " " " N 74° E 4 " "
Land level rich, Ash, Beech, Poplar &c.
undergth Spruce.

East On Rand^m between Sec. 1 of 12

40.00 Set temp^y. g^r. Sec. post

82.00 Intersected the E. boundary 250 l. m. S. of post
Land level 1st rate, Ash, Beech, Hackberry
undergth Spruce &c.

West Corrected between Sec. 1 of 12

141

St. N. R. & E. 2^d. Mer. Indiana
ch. l. h.
41.00 Set q^r. Sec. post, at average dist. from which
a Beech 20 in. dia. bray 181 W 25 th. dist. of
a Do. 11 " " " N 76 E 20 " "
82.00 to Sec. Corner. September 23rd. 1819

North Between Sec. 1 & 2
3.00 an Ash 30 in. dia.
40.00 Set q^r. Sec. post, from which
a Beech 30 in. dia. bray 167 W 15 th. dist. of
a Do. 24 " " " N 40 E 18 " "
83.00 Intersected the N. boundary 400 th. W. of post
Set post Cor. to Sec. 1 & 2, from which
a Beech 20 in. dia. bray N 43 E 8 th. dist. of
a Do. 30 " " " S 5 E 15 " "
Land level rich, Ash, Poplar, Beech, und^g. Spruce

North Between Sec. 34 & 35
5.75 a Sugar 30 in. dia.
40.00 Set q^r. Sec. post, from which
a Beech 10 in. dia. bray S 18 E 18 th. dist. of
a Do. 6 " " " S 36 W 3 " "
68.25 a Do. 18 " " " "
80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
a Sugar 6 in. dia. bray S 10 W 5 th. dist. of
a Do. 7 " " " N 23 E 2 " "
Land rolling 2^d. rate, Ash, Beech, Sugar &c.
und^g. Spruce

East Out Can^d. between Sec. 26 & 35
40.00 Set temp^l. q^r. Sec. post
80.00 Intersected the N & S. line 60 th. S. of post
Land rolling 2^d. rate, Beech, Poplar, Sugar
und^g. Spruce

West Connected between Sec. 26 & 35
40.00 Set q^r. Sec. post at average dist. from which

142

N. N. P. & E. T. Mer. Indiana

ch. lth

a Beech 24 in. dia. - bear 114 E 10 lth. dist. of
 a do. 6 " " " N 2 W 17 " "
 80.00 to Sec. Corner

North Between Sect. 26 & 27

8.30 a Creek 15 lth. wide Course N.
 10.25 a Lycamore 36 in. dia.
 40.00 Let gr. Sec. post. from which
 a Beech 36 in. dia. - bear 187 N. 6 lth. dist. of
 a do 30 " " " N 7 E 30 " "
 44.00 an Ash 12 " "
 80.00 Let post Cor. to Sect. 22, 23, 26 & 27, from which
 an Ash 7 in. dia. - bear 120 N 4 lth. dist. of
 a Sugar 3 " " " N 81 E 7 "
 Land rolling 2nd rate, timber Ash, Beech,
 Sugar, Poplar. undergth Spruce.

East On Rand^m. between Sect. 23 & 26

40.00 Let temp^y. gr. Sec. post
 59.50 a Branch 6 lth. wide Course S.
 79.50 Intersected the N & S. line 100 lth. S. of post
 Land rolling 2nd rate, Ash, Beech, undgth Spruce

West Connected between Sect. 23 & 26

39.75 Let gr. Sec. post, at average dist. from which
 an Ash 10 in. dia. - bear N 60 W 6 lth. dist. of
 a Sugar 5 " " " N 36 W 7 " "
 79.50 to Sec. Corner. Sept. 24th. 1819

North Between Sect. 22 & 23

8.50 an Ash 28 in. dia.
 40.00 Let gr. Sec. post, from which
 a Sugar 10 in. dia. - bear N 70 E 8 lth. dist. of
 a do. 7 " " " N 80 W 25 " "
 43.50 a Beech 10 " "
 80.00 Let post Cor. to Sect. 14, 15, 22 & 23, from which

143

West N 8 E 2^d Mer. Indiana
ch. 18th
a Hickory 18 in. diam. beam S 80 E 5th dist. of
a Beech 3 " " " N 84 W 3 " "
Land rolling rich, Ash, Sugar, Beech, Poplar
undergth Spruce.

East On Rand^m between Sec. 14 & 23
11.25 a Creek 10th wide Course S.
40.00 Let temp^y. of. Sec. post
79.70 Intersected the N of S. line 70th S. of post
Land rolling 2^d. rate, timber Beech, Sugar
Poplar. Undergth Spruce

West Corrected between Sec. 14 & 23
39.85 Let of. Sec. of. Sec. post at average dist. from which
a Beech 36 in. diam. beam S 36 W 5th dist. of
a No. — " " " N 11 E 15 " "
79.70 to Sec. Corner.

North Between Sec. 14 & 15
34.50 a Beech 10 in. diam.
40.00 Let of. Sec. post, from which
a Beech 2 in. diam. beam S 15 W 5th dist. of
a No. 6 " " " N 12 W 3 " "
50.50 a No 28 " "
80.00 Let post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 5 in. diam. beam S 72 E 4th dist. of
a No. 3 " " " N 64 W 11 " "
Land level 2^d. rate, Ash, Beech, undergth Spruce

East On Rand^m between Sec. 11 & 14
40.00 Let temp^y. of. Sec. post
79.50 Intersected the N of S. line 10th N. of post
Land level 2^d. rate Beech &c. undergth Spruce

West Corrected between Sec. 11 & 14
39.75 Let of. Sec. post, from which

144

Twp. N 8 E. 2^d. Mer. Indiana

ch^d. 1st by a Beech 40 in. dia. beam S 56 E 3⁴ l^{ns}. dist. of
 a do. 12 " " " S 60 W 15 " "
 79.50 to Sec. Corner.

North Between Sec. 10 & 11

7.00 a Beech 24 in. dia.
 40.00 At gr. Sec. post, from which
 a Beech 6 in. dia. beam S 67 E 12 l^{ns}. dist. of
 a do. 30 " " " N 73 W 10 " "
 58.25 on Ash 18 " "
 80.00 At post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 6 in. dia. beam S 25 E 12 l^{ns}. dist. of
 a do. 24 " " " N 87 W 5 " "
 Sand level 2^d. rate, Ash, Beech, Sugar, &c.
 undergth. Office.

East On Land^m. between Sec. 2 & 11

40.00 Left temp^t. gr. Sec. post
 79.00 Intersected the N & S. line at the post
 Sand level 2^d. rate, Beech, Ash &c. undgth. Office

West Corrected between Sec. 2 & 11

39.50 At gr. Sec. post at average dist. from which
 a Beech 30 in. dia. beam S 32 W 18 l^{ns}. dist. of
 a do. 7 " " " N 6 E 7 " "
 79.00 to Sec. Corner

North Between Sec. 2 & 3

4.50 a Beech 24 in. dia.
 40.00 At gr. Sec. post, from which
 a Beech 15 in. dia. beam S 36 E 15 l^{ns}. dist. of
 a do. 20 " " " N 5 E 3 " "
 83.10 Intersected the N. boundary 250 l^{ns}. N. of post
 At post Cor. to Sec. 2 & 3, from which
 a Beech 15 in. dia. beam S 78 E 14 l^{ns}. dist. of
 a do. 20 " " " N 30 W 4 " "

145

W. N. R. & E. D. Mer. Indiana
ch. 2th, Sand level 2nd rate, Beech, Poplar & Ash.
undergth Spruce. September 25th 1819

North Between Sec. 33 & 34

- 4.50 a Beech 18 in. diam.
40.00 Set of Sec. post, from which
a Sugar 6 in. diam. bear S 74 E 5 km. dist. of
a Do. 3 " " " S 55 W 5 " "
61.00 a Beech 30 " "
68.00 a Creek 10 km. wide Course S. W.
80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Sugar 7 in. diam. bear S 85 W 6 km. dist. of
a Do. 10 " " " S 75 E 15 " "
Land hilly 3rd rate, timber Beech, Sugar.
undergth Spruce &c.
-

East On Land^{gm} between Sec. 27 & 34

- 40.00 Set temp^l of Sec. post
46.80 a Spring Ranch 4 km. wide Course N.
80.50 Intersected the N. of S. line 10 km. S. of post
Land hilly 3rd rate, Beech & Sugar, undergth Spruce &c.
-

West Connected between Sec. 27 & 34

- 40.25 Set of Sec. post at average dist. from which
a Beech 7 in. diam. bear N 73 E 10 km. dist. of
a Buckeye 10 " " " S 83 W 18 " "
80.50 to Sec. Corner.
-

North Between Sec. 27 & 28

- 4.00 a Beech 30 in. diam.
33.10 a Creek 20 km. wide Course S. W. Current moderate
39.00 a Do 15 " " " S 12 E " "
40.00 Set of Sec. post, from which
a Hackberry 5 in. diam. bear S 8 E 12 km. dist. of
a Box Elder 6 " " " N 8 W 6 " "
43.60 a Creek 15 km. wide Course S. W. Current moderate

146 T10 N R 8 E. 2nd Mer. Indiana

ch. lks

70.60 a Beech 30 mi. dist. from

80.00 Let post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 10 mi. dist. from N 88° W 5 lks. dist. of
a Sugar 30 " " " N 63° E 25 " "
Land hilly 1st rate 1 mile 3rd rate - last 1/2 m.
2nd rate, Beech, Sugar &c. under 1st price

East On Rand^m. between Sec. 22 & 27

40.00 Let temp. q. Sec. post

41.00 a Beech 15 lks. wide Course S. W. Current moderate

79.75 Intersected the N & S. line 100 lks. S. of post
Land rolling 2nd rate, timber Beech, Sugar,
&c. under 1st price.

West Connected between Sec. 22 & 27

39.87 Let q. Sec. post at average dist. from which
a Sugar 1 1/2 mi. dist. from N 49° E 14 lks. dist. of
a W. Walnut 8 " " " N 32° W 27 " "

79.75 to Sec. Corner.

North Between Sec. 21 & 22

9.00 an Ash 15 mi. dist.

40.00 Let q. Sec. post, from which

a Beech 12 mi. dist. from N 23° E 20 lks. dist. of

a Sugar 2 " " " N 42° E 3 " "

52.65 a Sugar 20 " "

80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which

a Beech 19 mi. dist. from N 10° W 5 lks. dist. of

a Do. 4 " " " N 5° W 12 " "

Land level 2nd rate Beech, Ash &c. under 1st price &c.

East On Rand^m. between Sec. 15 & 22

40.00 Let temp. q. Sec. post

79.40 Intersected the N & S. line 75 lks. S. of post

Land level 2nd rate, Beech, Ash &c. under 1st price &c

147

T10 N 128 E 2nd Mer. Indiana

ch. l. l. m.

West Connected between Sec. 15 & 22

39.70 Set of. Sec. post at average dist. from which
a Beech 6 mi. dist. by N 28 E 12 l. m. dist. of
an Ash 30 " " " 150 E 15 " "

79.40 to Sec. Corner.

North Between Sec. 15 & 16

9.60 a Beech 18 mi. dist.

40.00 Set of. Sec. post, from which
a Beech 3 mi. dist. by S 36 W 14 l. m. dist. of
a Sugar 6 " " " N 80 E 3 " "

48.00 a Beech 15 " "

80.00 Set post, Cor. to Sec. 10, 15 & 16, from which
a Beech 28 mi. dist. by N 76 E 20 l. m. dist. of
a No. 3 " " " N 79 W 15 " "
Sand level rich, Beech, Ash, Poplar &c.
undergth Spruce. Sept. 27th 1819

East On Rand^m. between Sec. 10 & 15

40.00 Set of. Sec. post, from which

79.08 Intersected the N & S. line 150 l. m. S. of post
Sand level 2nd rate, Beech, Ash, Poplar &c.
undergth Spruce &c.

West Connected between Sec. 10 & 15

39.54 Set of. Sec. post, at average dist. from which
a Beech 6 mi. dist. by N 35 E 10 l. m. dist. of
a No. 2 " " " S 32 W 4 " "

79.08 to Sec. Corner.

North Between Sec. 9 & 10

9.40 an Elm 24 mi. dist.

40.00 Set of. Sec. post, from which
a Beech 5 mi. dist. by N 8 E 11 l. m. dist. of
a No. 18 " " " N 25 E 4 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which

148 N. N. W. E. 2^d. Mer. Indiana

ch^d. by
at Walnut 20 mi. dist. by S E 25 th. dist. of
an Elm 2 " " " N 35 W 10 " "
Land level 2^d. rate, Beech, Ash &c.
underg^d. Spruce &c.

East On Rand^m. between Sec. 3 & 10

40.00 Set temp^y. of Sec. post

79.08 Intersected the N & S line 200 th. S. of post
Land level 2^d. rate, timber Ash, Beech, Poplar
&c. underg^d. Spruce

West Connected between Sec. 3 & 10

39.54 Set of Sec. post at average dist. from which
at Beech 30 mi. dist. by S 79 E 3 th. dist. of
a No. 28 " " " N 39 W 35 " "

79.08 to Sec. Corner.

North Between Sec. 3 & 4

3.00 at Beech 15 mi. dist.

40.00 Set of Sec. post, from which

a Runway 3 mi. dist. by N 85 W 5 th. dist. of
at Beech 12 " " " N 29 E 11 " "

43.00 a Creek 50 th. wide Cr. S 80 W. Current rapid & a perpen-

44.00 a No 50 " " " S. E. Current moderate

75.60 a No 50 " " " N 47 W Current moderate

84.00 Intersected the N. boundary 80 th. W. of post

Set post Cor. to Sec. 3 & 4, from which

at Beech 24 mi. dist. by S 3 W 15 th. dist. of

a No 6 " " " N 8 W 20 " "

First 1/2 level 2^d. rate - last 1/2 hill 2^d. rate
Beech, Poplar, Ash, &c. underg^d. Spruce

September 28th, 1819

North Between Sec. 32 & 33

0.20 at Branch 20 th. wide Course S 10 W (moderate C.)

9.00 an Elm 30 mi. dist.

Post P8 E. 2^d Mer. Indiana

149

ch² 1/2 m
40.00 Set q^r. Sec. post, from which
a Beech 4 m. dist. bray N 30 W 8 km. dist. of
a No 18 " " " N 78 E 6 " "
64.59 a Beech 8 " "
80.00 Set post Cor. to Sec^s 28, 29, 32 & 33, from which
a Beech 12 m. dist. bray N 11 W 6 km. dist. of
an Ash 12 " " " S 32 E 14 " "
First 1/2 mile hilly - last 1/2 level all 2^d rate
Ash, Beech, Sugar etc. undergth Spruce

East On Rand^m. between Sec^s 28 & 33

40.00 Set temp^y. q^r. Sec. post
47.60 a creek 15 km. wide Course S. W. Current (moderate)
80.46 Intersected the N & S. line 150 km. S. of post
Land hilly 3^d rate, Beech, Ash etc. undergth Spruce

West Corrected between Sec^s 28 & 33

40.23 Set q^r. Sec. post at average dist. from which
a Sugar 8 m. dist. bray S 76 E 20 km. dist. of
a No. 6 " " " S 86 W 12 " "
80.46 to Sec. Corner.

North Between Sec^s 28 & 29

7.00 an Ash 28 m. dist.
40.00 Set q^r. Sec. post, from which
a Beech 20 m. dist. bray N 81 W 4 km. dist. of
a Poplar 40 " " " N 2 W 4 " "
47.50 a Beech 19 " "
80.00 Set post Cor. to Sec^s 20, 21, 28 & 29, from which
a Beech 7 m. dist. bray N 81 W 10 km. dist. of
a No. 15 " " " S 67 E 12 " "
Land level 2^d rate, Beech, Ash, Poplar etc.
undergth Spruce etc.

East On Rand^m. between Sec^s 21 & 28

40.00 Set temp^y. q^r. Sec. post.

150

T.M. R & E. 2nd Mer. Indiana

ch. lth
81.00 Intersected the N & S. line 114 lth. S. of post
First 1/2 mile level 2nd rate - last 1/2 mile 3rd rate
Beech, Poplar, Sugar, W. Oak, and g. Spruce

West Corrected Between Sec. 21 & 28

40.50 Set g. Sec. post at average dist. from which
a Maple 6 in. dia. bray N 20 E 5 lth. dist. of
an Ash 4 " " " S 17 E 12 " "
81.00 to Sec. Corner.

North Between Sec. 20 & 21

8.00 a W. Oak 48 in. dia.
40.00 Set g. Sec. post, from which
a Beech 35 in. dia. bray S 85 E 8 lth. dist. of
a do. 5 " " " S 70 E 20 " "
80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
an Oak 5 in. dia. bray N 25 W 7 lth. dist. of
a Beech 30 " " " S 26 E 30 " "
Sand level 2nd rate, Oak, Beech, Sugar &c.
undergth. Spruce.

East On Rand^m. Between Sec. 16 & 21

40.00 Set temp. g. Sec. post
80.10 Intersected the N & S. line 105 lth. S. of post
Sand level 2nd rate, Beech, Ash, Poplar &c.
undergth. Spruce

West Corrected between Sec. 16 & 21

40.05 Set g. Sec. post at average dist. from which
a Beech 20 in. dia. bray S 4 E 6 lth. dist. of
a do. 12 " " " S 27 E 10 " "
80.10 to Sec. Corner.

North Between Sec. 16 & 17

4.50 a Poplar 36 in. dia.
40.00 Set g. Sec. post, from which

T. 10. N. R. 8 E. 2^d. Mer. Indiana 151

ch. 10
at Beech 10 in. dia. bray N 29 E 30 lbs. dist. of
a Hickory 6 " " " N 39 W 5 " "
45.75 a Poplar 38 " "
80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 20 in. dia. bray N 53 W 10 lbs. dist. of
a Do. 12 " " " N 75 E 25 " "
Land level 2^d rate, Beech, Poplar, Oak &c.
undergth Spruce &c.

East On Land^m. between Sec. 9 & 16
40.00 Set temp^y. of Sec. post
79.50 Intersected the N of S line 65 lbs. S. of post
Land level 2^d rate, Beech, Oak, Poplar &c.
undergth Spruce &c.

West Corner between Sec. 9 & 16
39.75 Set of Sec. post at average dist. from which
a Beech 17 in. dia. bray N 47 E 15 lbs. dist. of
a Do. 24 " " " N 75 W 18 " "
79.50 to Sec. Corner September 29th 1819

North Between Sec. 8 & 9
5.10 a Beech 3 in. dia.
40.00 Set of Sec. post, from which
a Beech 7 in. dia. bray N 49 W 11 lbs. dist. of
a Sugar 6 " " " N 24 E 8 " "
50.00 a W. Oak 24 " "
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 30 in. dia. bray N 80 E 12 lbs. dist. of
a Do. 6 " " " N 81 W 20 " "
Land level 2^d rate, Beech, Oak, Poplar &c.
undergth Spruce &c.

East On Land^m. between Sec. 4 & 9
40.00 Set temp^y. of Sec. post
79.65 Intersected the N of S line 33 lbs. S. of post.

152

St. N. R. & E. 2^d Mer. Indiana

ch. l. h.

Land level first 1/2 1st rate - last 1/2 2^d rate
timber Ash, Sugar, Beech &c. undergth Spice

West Connected between Sec. 4 & 9

39.82 Set q^r. Sec. post at average dist. from which
a Beech 6 in. dia. - bray S 68° W 6 l^hs. dist. of
a dlo. 20 " " " S 55° E 20 " "

79.65 to Sec. Corner.

North Between Sec. 4 & 5

18.00 a Buckeye 7 in. dia.

20.75 a Creek 60 l^hs. wide at S. W. current rapid

40.00 Set q^r. Sec. post, from which

a Beech 5 in. dia. - bray S 43° W 14 l^hs. dist. of

a dlo. 28 " " " N 32° W 16 " "

44.00 a Poplar 48 " "

85.00 Intersected the N. boundary 95 l^hs. E. of post

Set post Cor. to Sec. 4 & 5, from which

an Ash 30 in. dia. - bray N 12° E 15 l^hs. dist. of

a Beech 4 " " " N 79° W 4 " "

Land level 2^d rate Beech, Ash, Poplar &c.
undergth Spice

North Between Sec. 31 & 32

13.70 an Elm 28 in. dia.

40.00 Set q^r. Sec. post, from which

a Beech 6 in. dia. - bray S 28° W 5 l^hs. dist. of

a dlo. 5 " " " N 34° E 25 " "

61.00 a Sugar 8 in. dia.

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which

a Beech 4 in. dia. - bray N 79° E 14 l^hs. dist. of

a dlo. 14 " " " N 60° W 12 " "

Land, timber &c. same as on the last mile

East On Rand. between Sec. 29 & 32

40.00 Set temp. q^r. Sec. post

153

To N. R & E. 2^d. Mer. Indiana
ch. l. by
79.18 Intersected the N & S. line 55 l. by. S. of post
Sand timber &c. same as on the last mile

West Cor. bet. between Sec. 29 & 32
39.59 Set of Sec. post at average dist. from which
a Beech 18 m. dia. bray S 62 E 5 l. dist. of
a do. 30 " " " N 3 W 14 " "
79.18 to Sec. Corner. Sept. 30. 1819

West Between Sec. 30 & 31
4.16 a Beech 15 m. dia.
40.00 Set of Sec. post, from which
a Elm 14 m. dia. bray N 16 W 10 l. dist. of
a Beech 6 " " " S 2 E 20 " "
50.70 a do. 30 " "
74.73 Intersected W. boundary 63 l. N. of post
Set post Cor. to Sec. 30 & 31, from which
a Beech 6 m. dia. bray S 5 W 5 l. dist. of
a Sugar 4 " " " N 5 E 7 " "
Land level 2^d. rate Ash, Beech, Poplar &c.
under 1st. Spruce &c.

North Between Sec. 29 & 30
21.65 a Beech 15 m. dia.
40.00 Set of Sec. post, from which
a Beech 30 m. dia. bray N 53 W 10 l. dist. of
a do. 8 " " " S 66 W 15 " "
50.15 a Beech 12 " "
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Sugar 5 m. dia. bray S 16 E 5 l. dist. of
an Ash 12 " " " N 43 W 15 " "
Land timber &c. same as on the last mile

East On Rand. between Sec. 28 & 29
40.00 Set temp. of Sec. post
78.50 Intersected the N & S. 76 l. S. of post.

154 Post R & E. 2^d. Mer. Indiana
ch. 2^d lth Land level 2^d rate Ash, Beech, Poplar
Sugar &c. running 1st price

West Corrected between Sec. 20 & 29
39.25 Set q^r. Sec. post at average dist, from which
a Beech 6 mi. dist. by N 61 W 25 lth. dist. of
a W. Beech 3 " " " N 61 E 5 " "
78.50 to Sec. Corner.

West Between Sec. 19 & 30
9.00 at Beech 30 mi. dist.
40.00 Set q^r. Sec. post, from which
a Beech 30 mi. dist. by N 48 E 7 lth. dist. of
a Do. 10 " " " N 64 W 12 " "
50.50 a Do. 15 " "
74.20 Intersected N. boundary 24 lth. S. of post
Set post Cor. to Sec. 19 & 30, from which
a Beech 18 mi. dist. by N 46 W 8 lth. dist. of
a Do. 5 " " " N 12 W 13 " "
Sand timber &c. same as on the last mile

North Between Sec. 19 & 20
7.00 at Beech 30 mi. dist.
40.00 Set q^r. Sec. post, from which
a Beech 24 mi. dist. by S 75 E 4 lth. dist. of
a Do. 30 " " " N 23 W 5 " "
43.00 a Do. 12 " "
57.25 a Spring Course S 33 W
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Poplar 60 mi. dist. by N 22 E 4 lth. dist. of
a Beech 4 " " " S 72 E 5 " "
First 1/2 mile level 2^d rate land last 1/2 mile
level 1st rate, Beech, Ash, Poplar &c. running 1st price

East On Rand^m. between Sec. 17 & 20
40.00 Set stump q^r. Sec. post

W. N. R & E. 2^d. Mer. Indiana

155

ch. 2th

78.10 Intersected the N & S line 79th m. S. of post
 Sand level 1st rate, Beech, Poplar, Ash &c.
 undngth Spruce.

West Corrupted between Sec. 17 & 20
 39.05 Set g. Sec. post at average dist. from which
 a Sugar 15 in. dia. bran N 60° W 10th m. dist. of
 a Beech 12 " " " S 9° E 14 " "
 78.10 to Sec. Corner

West Between Sec. 18 & 19

8.60 a Beech 24 in. dia.
 40.00 Set g. Sec. post, from which
 a Sugar 5 in. dia. bran S 10° W 10th m. dist. of
 a W. Beech 3 " " " N 24° E 3 " "
 42.25 a Beech 20 " "
 72.00 a Creek 80th m. wide Cr. S. W. Current rapid
 73.50 Intersected W. boundary 100th m. S. of post
 Set post Cor. to Sec. 18 & 19, from which
 a Hickory 15 in. dia. bran S 45° E 10th m. dist. of
 a Beech 3 " " " N 7° W 8 " "
 Sand level rich, Beech, Ash, Poplar, Sugar
 &c. undngth Spruce, October 1st 1819.

North Between Sec. 17 & 18

9.50 an Ash 30 in. dia.
 40.00 Set g. Sec. post, from which
 a Beech 5 in. dia. bran S 49° E 3th m. dist. of
 a do. 3 " " " N 59° W 10 " "
 44.50 a Poplar 48 " "
 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 5 in. dia. bran N 37° E 5th m. dist. of
 a do. 6 " " " S 45° W 15 " "
 Land rolling 2nd rate, Beech, Poplar, Ash,
 Sugar &c. undngth Spruce

M. N. R. & E. D. Mer. Indiana

ch. 2thEast On Rand^m. between Sec. 8 & 1740.00 Set temp^y. q^r. Sec. post78.75 Intersected the N & S. line 150 lths. S. of post,
Land level 2nd rate, Poplar, Ash, W. Oak, Beech,
undergth. Spruce.

West Corrected between Sec. 8 & 17

39.37 Set q^r. Sec. post, at average dist. from which
a Hickory 7 m. dist. from 50 N 2 lths. dist. of
a Beech 6 " " " N 30 E 25 " "

78.75 to Sec. Corner.

West Between Sec. 7 & 18

6.00 a Beech 15 m. dist.

28.50 a Creek 125 lths. wide at S. rapid40.00 Set q^r. Sec. post, from which
a Beech 20 m. dist. from S 26 E 15 lths. dist. of
a Sugar 28 " " " N 17 W 18 " "

49.00 an Elm 15 " "

74.00 Intersected W. boundary 180 lths. S. of post
Set post Cor. to Sec. 7 & 18, from which
a Beech 24 m. dist. from N 32 W 4 lths. dist. of
a Do. 8 " " " S 34 W 12
Land rolling 2nd rate, Ash, Beech, Sugar, &
Poplar, undergth. Spruce.

North Between Sec. 7 & 8.

5.70 a Beech 10 m. dist.

37.50 a Creek 5 lths. wide Course S. W. Current rapid40.00 Set q^r. Sec. post from which
an Elm 5 m. dist. from S 44 W 6 lths. dist. of
a Beech 30 " " " N 8 E 10 " "

52.15 a Beech 15 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 11 m. dist. from N 58 E 6 lths. dist. of
a Do. 10 " " " N 39 W 20 " "

157

W. N. R & E. D. Mer. Indiana
ch. 1/4
Land rolling 2nd Rate, Poplar, Beech, Sugar
Ash, undergth Spruce

East On Road^m between 5 & 8
25.00 a Creek 100 yds. wide Course S. rapid
40.00 Let temp^y. of Sec. post
78.00 Intersected the N & S. line 130 yds. S. of post
Land timber &c. same as on the last Mile

West Corrected between Sec. 5 & 8
39.00 Let of Sec. post, at average dist. from which
a Beech 10 mi. dist. bears 141 W 7 yds. dist. of
a Sugar 6 " " " 160 E 20 " "
78.00 to Sec. Corner.

West Corrected between Sec. 6 & 7
6.62 a Sugar 10 mi. dist.
40.00 Let of Sec. post, from which
a Beech 30 mi. dist. bears N 88 W 5 yds. dist
a P — 5 " " " 177 E 5 " "
72.38 Intersected N. boundary 271 yds. S. of post
Let post Cor. to Sec. 6 & 7, from which
a Beech 4 mi. dist. bears N 56 E 11 yds. dist. of
an Ash 8 " " " 177 W 5 " "
Land level 2nd Rate, Beech, Sugar, Ash & Poplar
undergth Spruce.

North Between Sec. 5 & 6
3.05 an Ash 15 mi. dist.
40.00 Let of Sec. post, from which
a Beech 8 mi. dist. bears N 58 W 5 yds. dist. of
a do. 28 " " " 163 E 10 " "
86.00 Intersected N. boundary 450 yds. E. of post
Let post Cor. to Sec. 5 & 6, from which
a Beech 10 mi. dist. bears 272 W 3 yds. dist. of
a do. 12 " " " 138 E 10 " "

West 8 E. 2^d Mer. Indiana

ch. the

Sand level rich, timber Oak, B. Walnut, Sugar
Beech, Poplar &c. Under 1st Spruce.

October 2^d 1819

Surveyed By Basil Bently,
Deputy Surveyor

Comp^d.

I Certify, that the foregoing transcript, of field
notes of Township N. West, Range N. 8 E. 2^d Mer.
Indiana, has been compared with the original
notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Sept. 29th 1842

William Johnston
Sur. Genl.